

## TANZA WATER DISTRICT

#### CONSTRUCTION WORKS AND IMPLEMENTATION CONTROL **PROCEDURE**

**Quality Management System Procedures** Type of Document: TWD-QP-CMD-001 Rev. no. Page 1 of 9 Document No.

<b>Execution Date</b>	Rev. No.	Revision Type	Change Description	Page Affected	Originator
10V 0 4 2016	Ø	New	Newly established in accordance to the ISO 9001:2015 requirements.	-	CMD
Pfryba	ed by:		Verified by)	, Approved	by
GERRY M		к	ARED P. MAESTRADO ED	IGR MYRNA P. Genera Ma	BOBADILLA

Tanza Water District

OCT 2.7 2016

MASTER COPY

Tanza Water District
Distribution Mark:

NOV 02 2016

**CONTROLLED COPY** 



Document No.		TWD-QP-CMD-001
Revision Level	:	Ø
Page	+	Page 2 of 9

#### 1.0 OBJECTIVE

To establish the procedure on the appropriate process of project implementation.

#### 2.0 SCOPE

This procedure is applicable to the implementation of approved projects of Tanza Water District (TWD) up to project completion.

#### 3.0 DEFINITION OF TERMS

- 3.1 Disinfection refers to the injection of chlorine to water-filled pipeline reach 50ppm residual for a period of at least 24 hours.
- 3.2 Flushing refers to the reducing of chlorine residual to allowable 0.3ppm after the disinfection of pipeline .
- 3.3 Blow-off refers to the appurtenance wherein unwanted or chlorinated water is released.
- 3.4 Fire Hydrant refers to appurtenance wherein fire trucks used to tap their pump during emergency or filling up of tanks.
- 3.5 SDR Standard Dimension Ration refers to the classification of polyethylene pipe according to water pressure capacity rating.
- 3.6 Pipe Diameter refers to the effective diameter (nominal) of pipe.
- 3.7 CMD- Construction and Maintenance Division.
- 3.8 WRPDD- Water Resources Planning and Design Division.
- 3.9 CASD- Customer Account and Services Division.

#### 4.0 REFERENCE DOCUMENTS

- 4.1 LWUA Inspector's Construction Manual
- 4.2 Disbursement Control Procedure
- 4.3 Engineering Design Control Procedure
- 4.4 Procurement Control Procedure

#### 5.0 RESPONSIBILITY AND AUTHORITY

5.1 The General Manager shall be responsible for the selection of project supervisors and contractors, contractors are chosen thru Request for Quotation.

Registration Mark:	Distribution Mark:	
OCT 2 7 2016	NOV 02 2016	This document is updated and controlled if it bears the red "CONTROLLED COPY" stamp. Otherwise, please refer to the Document Control Center (DCC) for your updated copy.
MASTER COPY	CONTROLLED COPY	



Document No.	*	TWD-QP-CMD-001
Revision Level	:	Ø
Page	:	Page 3 of 9

- 5.2 The Officer-in-Charge Construction and Maintenance Division (CMD) and Project Planning and Development Officer-B (PPDO-B)shall be responsible for the full implementation of the project.
- 5.3 The Project Planning and Development Officer-B (PPDO-B) and Senior Water Maintenance Man B (SWMM-B)shall be the responsible for the monitoring of the project, and shall accomplish the daily monitoring form.
- 5.4 The Engineering Aide shall be the responsible for the construction works in the project.
- 5.5 The Water Resources Planning and Design Division (WRPDD)shall witness the flushing and interconnection activity of the project.

#### 6.0 PROCEDURE DETAILS

6.1 Project Implementation for New Pipeline and Rehabilitation of Pipelines by Administration

Process Flow	In-charge	Process Description	Records
Start			
Request of Materials	PPDO-B/OIC-CMD	Shall prepare request for the availability of materials needed in the projects.  Note: Procurement of materials shall be in accordance with Procurement Control Procedure.	Request Form/ Purchase Requisition
Securing Documents / Permits	General Manager/ OIC-CMD/PPDO-B	Shall secure permits from government agencies for projects affecting roads and highways.  Note: Written notice for implementation shall be made for local government units.	Permit / Received written notice
A			

Tanza Water District Reg stration mark:	Distribution Wark! Water District
OCT 27 2016	NOV 02 2016
MASTER COPY	CONTROLLED COPY



Document No.	:	TWD-QP-CMD-001
Revision Level	:	Ø
Page	:	Page 3 of 9

- 5.2 The Officer-in-Charge Construction and Development Officer-B (PPDO-B)shall be responsible for the full implementation of the project.
- 5.3 The Project Planning and Development Officer-B (PPDO-B) and Senior Water Maintenance Man B (SWMM-B)shall be the responsible for the monitoring of the project, and shall accomplish the daily monitoring form.
- 5.4 The Engineering Aide shall be the responsible for the construction works in the project.
- 5.5 The Water Resources Planning and Design Division (WRPDD)shall witness the flushing and interconnection activity of the project.

#### 6.0 PROCEDURE DETAILS

6.1 Project Implementation for New Pipeline and Rehabilitation of Pipelines by Administration

Process Flow	In-charge	Process Description	Records
Request of Materials	PPDO-B/OIC-CMD	Shall prepare request for the availability of materials needed in the projects.  Note: Procurement of materials shall be in accordance with Procurement Control Procedure.	Request Form/ Purchase Requisition
Securing Documents / Permits	General Manager/ OIC-CMD/PPDO-B	Shall secure permits from government agencies for projects affecting roads and highways.  Note: Written notice for implementation shall be made for local government units.	Permit / Received written notice
A			

Tanza Water District Reg structor mark:	Distribution Mark:
OCT 27 2016	NOV 02 2016
MASTER COPY	CONTROLLED COPY




Document No. : TWD-QP-CMD-001

Revision Level : Ø

Page : Page 4 of 9

This document is updated and controlled if it bears the red "CONTROLLED COPY" stamp. Otherwise, please refer to the

Document Control Center (DCC) for your updated copy.



Tanza Water District

NOV 02 2016

CONTROLLED COPY

Tanza Water District

OCT 2.7 2016


**MASTER COPY** 



 Document No.
 :
 TWD-QP-CMD-001

 Revision Level
 :
 Ø

 Page
 :
 Page 5 of 9



Tanza Water District Registration Mark:	Tanza Water District Distribution Mark:
OCT 2 7 2016	NOV 02 7016
MASTER COPY	CONTROLLED COPY



| Document No. : TWD-QP-CMD-001 | Revision Level : Ø | Page : Page 6 of 9 |

# 6.2 Project Implementation for Infrastructure Projects

Process Flow	In-charge	Process Description	Records
Start  Request of Materials	PPDO-B/OIC-CMD	Shall prepare request for the availability of materials needed in the projects.  Note:  Procurement of materials shall be in accordance with Procurement Control Procedure.	Request Form/ Purchase Requisition
Securing Documents / Permits	General Manager/ OIC-CMD/PPDO-B	Shall secure permits from government agencies for projects affecting national roads and highways.  Note: Written notice for implementation shall be made on local government units.	Permit / Received writter notice
Request for Quotation	General Manager/ PPDO-B/OIC-CMD	Shall solicit quotation for labor from contractors.  Note:  As per memorandum, selected engineering personnel are authorized to canvass for labor components from the list of accredited contractors. Abstract/Request for Quotation shall be approved by the General Manager prior to Notice to Proceed.	Request for Quotation Form / List of Accredited Contractors
Selection of Contractor	General Manager/ OIC-CMD/PPDO-B	Shall select the lowest bidder for the project and issue Notice to Proceed.	Notice to Proceed (NTP)
A			

	Tanza Water District
Reg	stration Mark:
	OCT 27 2016
	MASTER COPY

Tanza Water District

Distribution Mark:

NOV 0.2 2016

CONTROLLED COPY



Project Monitoring  OIC-CMD/PPDO-E Engineer Aide  OIC-CMD/PPDO-E Engineer Aide	Note: A daily accomplishment form for the monitoring of the project includes the weather chart.  Shall prepare the documents and all necessary attachment for the payment of contract out labor.	Project Monitoring Report Progress
	necessary attachment for the payment of contract out labor.  Note:	Progress
	for billing before progress billing will be made. Payment shall be in accordance with Disbursement Control Procedure.	Payment
Final Inspection  OIC- CMD/PPDO B/SWMM-B	Shall conduct the final inspection with the contractor.	Site Inspection Report


Regi Tanza Water District	Distribution Mark ater District
OCT 27 2016	NOV 02 2016
MASTER COPY	CONTROLLED COPY



 Document No.
 :
 TWD-QP-CMD-001

 Revision Level
 :
 Ø

 Page
 :
 Page 8 of 9



Reports	Frequency	Responsible
Project Monitoring Report	Twice a month	OIC-CMD/PPDO-B
Disinfection Report	Prior to the activation of the pipelines	OIC-CMD/PPDO-B/ SWMM-B
Certificate of Project Completion and Acceptance	After completion	OIC-CMD/PPDO-B/ SWMM-B
Daily Monitoring Report	Every week from the start of the Project	PPDO-B/ SWMM-B

#### 7.0 PERFORMANCE INDICATORS

7.1 Officer-in-Charge of the Construction and Maintenance Division (CMD) shall ensure that all construction works are properly monitored and implemented.

Tanza Water District Registration Mark:	Distribution Mark:
OCT : 7 2016	NOV 02 2816
MASTER COPY	CONTROLLED COPY



 Document No.
 :
 TWD-QP-CMD-001

 Revision Level
 :
 Ø

 Page
 :
 Page 9 of 9

#### 8.0 ATTACHMENTS AND FORMS

8.1 Form 1- Daily Monitoring Report

8.2 Form 2- Project Monitoring Report

8.3 From 3- Time Book and Payroll

8.4 Form 4- Disinfection Report

8.5 Form 5- Checklist for the Turnover of Valves

8.6 Form 6- Statement of Work Accomplishment

8.7 Form 7- Site Inspection Report

8.8 Form 8- Certificate of Project Completion and Acceptance

Tanza Water District

OCT 2 7 2016

**MASTER COPY** 

Distribution Mark! Vater District

NOV 02 2016

CONTROLLED COPY

DAILY ACCOMPLISHMENTS Daily Monitoring Report Republic of the Philippines TANZA WATER DISTRICT DAILY WORK ACTIVITIES Tanza, Cavite DATE Wednesday Thursday Monday Tuesday Friday CMD-008-00 Certified by: DAY Agency: Name: NO. OF WORKING HOURS NOV 0 SApproved by Janza Water District CONTROLLED COPY DAILY ACCOMPLISHMENTS Daily Monitoring Report Republic of the Philippines DAILY WORK ACTIVITIES TANZA WATER DISTRICT Tanza, Cavite Tanza Water District DATE MASTER COPY Cerlified by ACT 2 7 2016 Wednesday CMD-008-00 Thursday Monday Tuesday Friday DAY Agency: Name:

Approved by:

TOTAL NO. OF HOURS

NO. OF WORKING HOURS



#### Republic of the Philippines TANZA WATER DISTRICT Tanza, Cavite

#### **Project Monitoring Report**

	As on:	ing neport			
Project Title:		-			
Task	% age of Completion	Duration	Start Date	Finish Date	Resources Used
				1	
		,			
		*			
		· · · · · · · · · · · · · · · · · · ·			
			,		
		1			
			- 1	-	
	1				
Tanza Water Dist	rict Tanza Water D	District			
Prepared by: 7016		-			
Prepared by: 7016 Checked by: Approved by:	CONTROLLED				

Signature

Date


**Printed Name** 



Republic of the Philippines
TANZA WATER DISTRICT
Tanza, Cavite

# **TIME BOOK AND PAYROLL**


NAME   OCCUPATION   Mark time each day under proper date using fraction when necessary   1 of   Day or   Amount Due   RESIDENCE CERTIFICATE   Place of   Issue   Issue   Place of   Issue   Issue   Issue   Issue of   Issue   Issue	1 [		(State job or pr	(State job or project on which labor was performed)						
Day or Month				TIME ROLL	1		RESIDE	NCE CERTI	FICATE	
	Z		OCCUPATION	(Wark time each day under proper date using fraction         1       2       3       4       5       6       7       8       9       10       11       12		Amount Due		Date	Place of Issue	REMARKS
				17 18 19 20 21 22 23 24 25 26 27 28 29 30						
		1								
		2								
	1 m	8								
	1 4	t								
		Tanza Water Distric	ct Tanz	a Water District						
	as i.	ereby certify the leach dersoll whos indicated for the time states.  MASTER COPY	se appears on this roll	place $0.2$ Apprity that his roll is correct every person whose name appears here on rendered services time and the rates stated under my general supervision and approved payment of the roll. ITROLLED COPY	s for the	I certify on my offici his name he having signature or thumbr by red ink through t	al oath that I hav presented himse nark on the spac	ve this day is	of his identity and ereof. Unpaid se	2016 set opposite affixed his vices are indicated



## **Disinfection Report**

For the Period of:	
For the Period of	

	LOC	CATION		1.2		FLUSHING	
DATE	from	to	Injection	24 hr Residual	Volume (gal.)	Rate (gpm)	Time
					<del></del>		
				,	•		
		1			*****		
		Á					
		f .					
					Market a state of the second state of the seco		
					***************************************	-	
		N					
	Tanza W	later District	Tanza W	ater District			
	Prepared by	27 7416	NOV	02 2016			
	Checked by:						
	Approved by:	ER COPY	COLALKE	DELED COPY			



# **Checklist for the Turnover of Valves**

Manufacturer:    Date Manufactured:   Size & ANSI Rating:   Date		General	Information		
Manufacturer:    Model:   Date Manufactured:	Inspector:	Inspe	ection Date:		
Date Manufactured:   Size & ANSI Rating:   Documentation	Manufacturer:	Funt	ional Tag Number:		
Documentation	Model:	Date	Manufactured:		
1.) Spot check turnover package 2.) Operation and maintenance manuals are on site Dry Commissioning 1.) Check Flow direction as applicable 2.) Nameplate installed just below the operator 3.) Shipping Blocking and restraints have been removed 4.) Temporary plugs/caps have been replace with applicable permanent fittings 5. Ensure stem threads are free of debris and lubricated. Check for damaged threads 6.) Stem protector installed, drilled and vented 7.) All Sealant injection fittings are installed and operational 8.) All external mechanical components for tightness. Valve orientation correct. 9.) Drain body bleeds, check for hydro-test medium (Above grade valves). Drain plug in place. 10.) Gear operator lubrication level ant type are acceptable. Breather installed correctly 11.) Operator orientation correct. Extensions installed if required. 12.) Operatormounting bolts are tight. Electrical commissioning checks are complete 13.) Hand wheel installed and operational. Control buttons are operational 14.) Valve cycle full open to full closed 15.) Verify torque/ limit switch operation in open and closed positions. 16.) Packing gland is properly installed. 17.) Block and bleed operational. 18.) Verify correct Thermal Relief flow path- Does NOT relieve to atmosphere  1.) Inspect valve seals for leakage 2.) Inspect block and bleed for integrity 3.) Verify valve is holding  1.) Comments:  1. Tanza Mater District 1. Tanza Mater Dist	Serial Number:	Size	& ANSI Rating:		
Dry Commissioning		Documentation		Initials	Date
Dry Commissioning  Dry Commissioning  I.) Check Flow direction as applicable 2.) Nameplate installed just below the operator 3.) Shipping Blocking and restraints have been removed 4.) Temporary plugs/caps have been replace with applicable permanent fittings 5.) Ensure stem threads are free of debris and lubricated. Check for damaged threads 6.) Stem protector installed, drilled and vented 7.) All Sealant injection fittings are installed and operational 8.) All external mechanical components for tightness. Valve orientation correct. 9.) Drain body bleeds, check for hydro-test medium (Above grabe valves). Drain plug in place. 10.) Gear operator lubrication level ant type are acceptable. Breather installed correctly 11.) Operator orientation correct. Extensions installed if required. 12.) Operatormounting bolts are tight. Electrical commissioning checks are complete 13.) Hand wheel installed and operational. Control buttons are operational 14.) Valve cycle full open to full closed 15.) Verify torque/ limit switvh operation in open and closed positions. 16.) Packing gland is properly installed. 17.) Block and bleed operational. 18.) Verify correct Thermal Relief flow path- Does NOT relieve to atmosphere  2.) Inspect valve seals for leakage 2.) Inspect block and bleed for integrity 3.) Verify valve is holding  Commments:  Tanza Mater District  Tanza Mater District  Tanza Was or District  ** Record any deficiencies found on the Commissioning deficiency list**  Signed:  OCT 2 7 2016  NOV (2 2016  Date:  NOT CONTROLLED COPY	1.) Spot check turnover package				
1.) Check Flow direction as applicable 2.) Nameplate installed just below the operator 3.) Shipping Blocking and restraints have been removed 4.) Temporary plugs/caps have been replace with applicable permanent fittings 5.) Ensure stem threads are free of debris and lubricated. Check for damaged threads 6.) Stem protector installed, drilled and vented 7.) All Sealant injection fittings are installed and operational 8.) All external mechanical components for tightness. Valve orientation correct. 9.) Drain body bleeds, check for hydro-test medium (Above grade valves). Drain plug in place. 10.) Gear operator lubrication level ant type are acceptable. Breather installed correctly 11.) Operator orientation correct. Extensions installed if required. 12.) Operatormounting bolts are tight. Electrical commissioning checks are complete 13.) Hand wheel installed and operational. Control buttons are operational 14.) Valve cycle full open to full closed 15.) Verify torque/ limit switch operation in open and closed positions. 16.) Packing gland is properly installed. 17.) Block and bleed operational. 18.) Verify correct Thermal Relief flow path- Does NOT relieve to atmosphere  1.) Inspect valve seals for leakage 2.) Inspect block and bleed for integrity 3.) Verify valve is holding  1.) Commments:  1. Tanza Water District 1. Tanza Water District 2. Operatory and on the dommissioning deficiency list*  1. Signed: 1. MASTER COP1	2.) Operation and maintenance ma	nuals are on site			
2.) Nameplate installed just below the operator 3.) Shipping Blocking and restraints have been removed 4.) Temporary plugs/caps have been replace with applicable permanent fittings 5.) Ensure stem threads are free of debris and lubricated. Check for damaged threads 6.) Stem protector installed, drilled and vented 7.) All Sealant injection fittings are installed and operational 8.) All external mechanical components for tightness. Valve orientation correct. 9.) Drain body bleeds, check for hydro-test medium (Above grade valves). Drain plug in place. 10.) Gear operator lubrication level ant type are acceptable. Breather installed correctly 11.) Operator orientation correct. Extensions installed if required. 12.) Operatormounting bolts are tight. Electrical commissioning checks are complete 13.) Hand wheel installed and operational. Control buttons are operational 14.) Valve cycle full open to full closed 15.) Verify torque/ limit switch operation in open and closed positions. 16.) Packing gland is properly installed. 17.) Block and bleed operational. 18.) Verify correct Thermal Relief flow path- Does NOT relieve to atmosphere  19. Initials Date 11.) Inspect valve seals for leakage 2.) Inspect block and bleed for integrity 3.) Verify valve is holding  10. Commments:  10. Tanza Water Pistrict 10. Tanza Water Pistrict 10. Tanza Water District 10. Tanza W		Dry Commissioning		Initials	Date
2.) Nameplate installed just below the operator 3.) Shipping Blocking and restraints have been removed 4.) Temporary plugs/caps have been replace with applicable permanent fittings 5.) Ensure stem threads are free of debris and lubricated. Check for damaged threads 6.) Stem protector installed, drilled and vented 7.) All Sealant injection fittings are installed and operational 8.) All external mechanical components for tightness. Valve orientation correct. 9.) Drain body bleeds, check for hydro-test medium (Above grade valves). Drain plug in place. 10.) Gear operator lubrication level ant type are acceptable. Breather installed correctly 11.) Operator orientation correct. Extensions installed if required. 12.) Operatormounting bolts are tight. Electrical commissioning checks are complete 13.) Hand wheel installed and operational. Control buttons are operational 14.) Valve cycle full open to full closed 15.) Verify torque/ limit switch operation in open and closed positions. 16.) Packing gland is properly installed. 17.) Block and bleed operational. 18.) Verify correct Thermal Relief flow path- Does NOT relieve to atmosphere  19. Initials Date 19. Inspect valve seals for leakage 2.) Inspect block and bleed for integrity 3.) Verify valve is holding  10. Tanza Water District 10.	1.) Check Flow direction as applicab	ole			
3.5. Sinping Bioticking and Testariaths have been replace with applicable permanent fittings 5.5. Ensure stem threads are free of debris and lubricated. Check for damaged threads 6.5. Stem protector installed, drilled and vented 7. Jul Sealant injection fittings are installed and operational 8. All external mechanical components for tightness. Valve orientation correct. 9. Drain body bleeds, check for hydro-test medium (Above grade valves). Drain plug in place. 10. Gear operator lubrication level ant type are acceptable. Breather installed correctly 11. Operator orientation correct. Extensions installed if required. 12. Operatormounting bolts are tight. Electrical commissioning checks are complete 13. Hand wheel installed and operational. Control buttons are operational 14. Valve cycle full open to full closed 15. Verify torque/ limit switch operation in open and closed positions. 16. Packing gland is properly installed. 17. Block and bleed operational. 18. Verify correct Thermal Relief flow path- Does NOT relieve to atmosphere  19. Inspect valve seals for leakage 2. Inspect block and bleed for integrity 3. Verify valve is holding  10. Tanza Water District 10. Tanza Water Distr					
4.) Temporary plugs/caps have been replace with applicable permanent fittings  5.) Ensure stem threads are free of debris and lubricated. Check for damaged threads  6.) Stem protector installed, drilled and vented  7.) All Sealant injection fittings are installed and operational  8.) All external mechanical components for tightness. Valve orientation correct.  9.) Drain body bleeds, check for hydro-test medium (Above grade valves). Drain plug in place.  10.) Gear operator lubrication level ant type are acceptable. Breather installed correctly  11.) Operator orientation correct. Extensions installed if required.  12.) Operatormounting bolts are tight. Electrical commissioning checks are complete  13.) Hand wheel installed and operational. Control buttons are operational  14.) Valve cycle full open to full closed  15.) Verify torque/ limit switch operation in open and closed positions.  16.) Packing gland is properly installed.  17.) Block and bleed operational.  18.) Verify correct Thermal Relief flow path- Does NOT relieve to atmosphere  19. Inspect valve seals for leakage  20. Inspect block and bleed for integrity  31.) Verify valve is holding  10. Tanza Water District  11. Tanza Water District  12. Tanza Water District  13. Tanza Water District  14. Tanza Water District  15. Tanza Water District	3.) Shipping Blocking and restraints	have been removed			
5.) Ensure stem threads are free of debris and lubricated. Check for damaged threads 6.) Stem protector installed, drilled and vented 7.) All Sealant injection fittings are installed and operational 8.) All external mechanical components for tightness. Valve orientation correct. 9.) Drain body bleeds, check for hydro-test medium (Above grade valves). Drain plug in place. 10.) Gear operator lubrication level ant type are acceptable. Breather installed correctly 11.) Operator orientation correct. Extensions installed if required. 12.) Operatormounting bolts are tight. Electrical commissioning checks are complete 13.) Hand wheel installed and operational. Control buttons are operational 14.) Valve cycle full open to full closed 15.) Verify torque/ limit switch operation in open and closed positions. 16.) Packing gland is properly installed. 17.) Block and bleed operational. 18.) Verify correct Thermal Relief flow path- Does NOT relieve to atmosphere 19. Initials Date 10.) Inspect valve seals for leakage 20. Inspect block and bleed for integrity 31.) Verify valve is holding 19. Commments:  ** Record any deficiencies found on the Commissioning deficiency list**  ** Signed:  OCT 2.7 2016  NOT 2.7 2016			permanent fittings		
6.) Stem protector installed, drilled and vented 7.) All Sealant injection fittings are installed and operational 8.) All external mechanical components for tightness. Valve orientation correct. 9.) Drain body bleeds, check for hydro-test medium (Above grade valves). Drain plug in place. 10.) Gear operator lubrication level ant type are acceptable. Breather installed correctly 11.) Operator orientation correct. Extensions installed if required. 12.) Operatormounting bolts are tight. Electrical commissioning checks are complete 13.) Hand wheel installed and operational. Control buttons are operational 14.) Valve cycle full open to full closed 15.) Verify torque/ limit switvh operation in open and closed positions. 16.) Packing gland is properly installed. 17.) Block and bleed operational. 18.) Verify correct Thermal Relief flow path- Does NOT relieve to atmosphere  1.) Inspect valve seals for leakage 2.) Inspect block and bleed for integrity 3.) Verify valve is holding  Commments:  ** Record any deficiencies found on the Commissioning deficiency list**  Signed:  OCT 2.7 2016  NOV (2.7 7016					
7.) All Sealant injection fittings are installed and operational 8.) All external mechanical components for tightness. Valve orientation correct. 9.) Drain body bleeds, check for hydro-test medium (Above grade valves).Drain plug in place. 10.) Gear operator lubrication level ant type are acceptable. Breather installed correctly 11.) Operator orientation correct. Extensions installed if required. 12.) Operatormounting bolts are tight. Electrical commissioning checks are complete 13.) Hand wheel installed and operational. Control buttons are operational 14.) Valve cycle full open to full closed 15.) Verify torque/ limit switch operation in open and closed positions. 16.) Packing gland is properly installed. 17.) Block and bleed operational. 18.) Verify correct Thermal Relief flow path- Does NOT relieve to atmosphere  1.) Inspect valve seals for leakage 2.) Inspect block and bleed for integrity 3.) Verify valve is holding  Commments:  Tanza Wister District					
8.) All external mechanical components for tightness. Valve orientation correct.  9.) Drain body bleeds, check for hydro-test medium (Above grade valves). Drain plug in place.  10.) Gear operator lubrication level ant type are acceptable. Breather installed correctly  11.) Operator orientation correct. Extensions installed if required.  12.) Operatormounting bolts are tight. Electrical commissioning checks are complete  13.) Hand wheel installed and operational. Control buttons are operational  14.) Valve cycle full open to full closed  15.) Verify torque/ limit switch operation in open and closed positions.  16.) Packing gland is properly installed.  17.) Block and bleed operational.  18.) Verify correct Thermal Relief flow path- Does NOT relieve to atmosphere  19.) Inspect valve seals for leakage  20.) Inspect valve seals for leakage  21.) Inspect block and bleed for integrity  33.) Verify valve is holding  Commments:  Tanza Water District					
10.) Gear operator lubrication level ant type are acceptable. Breather installed correctly  11.) Operator orientation correct. Extensions installed if required.  12.) Operatormounting bolts are tight. Electrical commissioning checks are complete  13.) Hand wheel installed and operational. Control buttons are operational  14.) Valve cycle full open to full closed  15.) Verify torque/ limit switch operation in open and closed positions.  16.) Packing gland is properly installed.  17.) Block and bleed operational.  18.) Verify correct Thermal Relief flow path- Does NOT relieve to atmosphere  1.) Inspect valve seals for leakage  2.) Inspect block and bleed for integrity  3.) Verify valve is holding  Commments:  *** Record any deficiencies found on the commissioning deficiency list*  Signed:  *** Record any deficiencies found on the commissioning deficiency list*  *** Record any deficiencies found on the commissioning deficiency list*  *** Record any deficiencies found on the commissioning deficiency list*  *** Record any deficiencies found on the commissioning deficiency list*  *** Record any deficiencies found on the commissioning deficiency list*  *** Record any deficiency list*	8.) All external mechanical compon	ents for tightness. Valve o	rientation correct.		
10.) Gear operator lubrication level ant type are acceptable. Breather installed correctly 11.) Operator orientation correct. Extensions installed if required. 12.) Operatormounting bolts are tight. Electrical commissioning checks are complete 13.) Hand wheel installed and operational. Control buttons are operational 14.) Valve cycle full open to full closed 15.) Verify torque/ limit switch operation in open and closed positions. 16.) Packing gland is properly installed. 17.) Block and bleed operational. 18.) Verify correct Thermal Relief flow path- Does NOT relieve to atmosphere  2.) Inspect valve seals for leakage 2.) Inspect block and bleed for integrity 3.) Verify valve is holding  Commments:  Tanza Water District	9.) Drain body bleeds, check for hyd	dro-test medium (Above g	rade valves).Drain plug in place.		
12.) Operatormounting bolts are tight. Electrical commissioning checks are complete  13.) Hand wheel installed and operational. Control buttons are operational  14.) Valve cycle full open to full closed  15.) Verify torque/ limit switch operation in open and closed positions.  16.) Packing gland is properly installed.  17.) Block and bleed operational.  18.) Verify correct Thermal Relief flow path- Does NOT relieve to atmosphere  19. Initials Date  10. Inspect valve seals for leakage  20. Inspect block and bleed for integrity  31.) Verify valve is holding  10. Tanza Water District  10. Tanza Water District  11. Tanza Water District  12. Tanza Water District  13. Tanza Water District  14.) Verify valve is holding  15. Tanza Water District  16.) Packing gland is properly installed.  17.) Block and bleed operational.  18.) Verify volve seals for leakage  29.) Inspect valve seals for leakage  20.) Inspect valve is holding  15. Tanza Water District  16.) Packing gland is properly installed.  17.) Inspect valve seals for leakage  29.) Inspect valve seals for leakage  20.) Inspect valve is holding  17.) Date:  18. Verify valve is holding  18. Verify valve is holding  19. Verify valve is holding  20. Verify valve is holding  20. Verify valve is holding  21. Verify valve is holding  22. Verify valve is holding  23. Verify valve is holding  24. Verify valve is holding  25. Verify valve is holding  26. Verify valve is holding  27. Verify valve is holding  27. Verify valve is holding  28. Verify valve is holding  29. Verify valve is holding  20. Verify valve is holding					
12.) Operatormounting bolts are tight. Electrical commissioning checks are complete  13.) Hand wheel installed and operational. Control buttons are operational  14.) Valve cycle full open to full closed  15.) Verify torque/ limit switch operation in open and closed positions.  16.) Packing gland is properly installed.  17.) Block and bleed operational.  18.) Verify correct Thermal Relief flow path- Does NOT relieve to atmosphere  19. Initials Date  10. Inspect valve seals for leakage  20. Inspect block and bleed for integrity  31.) Verify valve is holding  10. Tanza Water District  10. Tanza Water District  11. Tanza Water District  12. Tanza Water District  13. Tanza Water District  14.) Verify valve is holding  15. Tanza Water District  16.) Packing gland is properly installed.  17.) Block and bleed operational.  18.) Verify volve seals for leakage  29.) Inspect valve seals for leakage  20.) Inspect valve is holding  15. Tanza Water District  16.) Packing gland is properly installed.  17.) Inspect valve seals for leakage  29.) Inspect valve seals for leakage  20.) Inspect valve is holding  17.) Date:  18. Verify valve is holding  18. Verify valve is holding  19. Verify valve is holding  20. Verify valve is holding  20. Verify valve is holding  21. Verify valve is holding  22. Verify valve is holding  23. Verify valve is holding  24. Verify valve is holding  25. Verify valve is holding  26. Verify valve is holding  27. Verify valve is holding  27. Verify valve is holding  28. Verify valve is holding  29. Verify valve is holding  20. Verify valve is holding					
13.) Hand wheel installed and operational. Control buttons are operational  14.) Valve cycle full open to full closed  15.) Verify torque/ limit switch operation in open and closed positions.  16.) Packing gland is properly installed.  17.) Block and bleed operational.  18.) Verify correct Thermal Relief flow path- Does NOT relieve to atmosphere  19. Initials Date  10. Inspect valve seals for leakage  2.) Inspect block and bleed for integrity  3.) Verify valve is holding  10. Initials Date  11. Inspect valve seals for leakage  2. Inspect block and bleed for integrity  3.) Verify valve is holding  10. Initials Date  11. Inspect valve seals for leakage  2. Inspect block and bleed for integrity  3. Initials Date  12. Initials Date  13. Initials Date  14. Initials Date  15. Initials Date  16. Initials Date  17. Initials Date  18. Initials Date  19. Initials Date  20. Initials Date  21. Initials Date  22. Inspect block and bleed for integrity  33. Initials Date  24. Initials Date  25. Initials Date  26. Initials Date  27. Initials Date  28. Initials Date  29. Initials Date  20. Initials Date  20. Initials Date  21. Initials Date  22. Initials Date  23. Initials Date  24. Initials Date  25. Initials Date  26. Initials Date					
14.) Valve cycle full open to full closed  15.) Verify torque/ limit switvh operation in open and closed positions.  16.) Packing gland is properly installed.  17.) Block and bleed operational.  18.) Verify correct Thermal Relief flow path- Does NOT relieve to atmosphere  1.) Inspect valve seals for leakage  2.) Inspect block and bleed for integrity  3.) Verify valve is holding  Commments:  *** Record any deficiencies found on the Commissioning deficiency list**  Signed:  OCT 2 7 2016  NOV (2 2016)  Date:	13.) Hand wheel installed and opera	ational. Control buttons a	re operational		
15.) Verify torque/ limit switch operation in operation in operation in operation in operation.  17.) Block and bleed operational.  18.) Verify correct Thermal Relief flow path- Does NOT relieve to atmosphere  1.) Inspect valve seals for leakage  2.) Inspect block and bleed for integrity  3.) Verify valve is holding  Commments:  **Record any deficiencies found on the Commissioning deficiency list**  Signed:  OCT 2 7 2016  NOV (2 2016 Date:	14.) Valve cycle full open to full clos	sed	The second secon		
17.) Block and bleed operational.  18.) Verify correct Thermal Relief flow path- Does NOT relieve to atmosphere  1.) Inspect valve seals for leakage 2.) Inspect block and bleed for integrity 3.) Verify valve is holding  Commments:  **Record any deficiencies found on the Commissioning deficiency list**  Signed:  **OCT 2 7 2016  **NOV (2 2016 Date:	15.) Verify torque/ limit switvh ope	ration in open and closed	positions.		
18.) Verify correct Thermal Relief flow path- Does NOT relieve to atmosphere    Initials   Date	16.) Packing gland is properly instal	led.			
1.) Inspect valve seals for leakage 2.) Inspect block and bleed for integrity 3.) Verify valve is holding  Commments:  ** Record any deficiencies found on the Commissioning deficiency list**  Signed:  OCT 2 7 2016  NOV (2 7016)  Date:  ENVIROLLED COPY	17.) Block and bleed operational.				
1.) Inspect valve seals for leakage 2.) Inspect block and bleed for integrity 3.) Verify valve is holding  Commments:  ** Record any deficiencies found on the Commissioning deficiency list**  Signed:  OCT 2 7 2016  NOV (2 2016)  Date:	18.) Verify correct Thermal Relief fl	ow path- Does NOT reliev	e to atmosphere		
1.) Inspect valve seals for leakage 2.) Inspect block and bleed for integrity 3.) Verify valve is holding  Commments:  ** Record any deficiencies found on the Commissioning deficiency list**  Signed:  OCT 2 7 2016  NOV (2 7016)  Date:					
2.) Inspect block and bleed for integrity  3.) Verify valve is holding  Commments:  ** Record any deficiencies found on the Commissioning deficiency list**  Signed:    VIASTER COPY   CONTROLLED COPY   CONTROLLE				Initials	Date
2.) Inspect block and bleed for integrity  3.) Verify valve is holding  Commments:  ** Record any deficiencies found on the Commissioning deficiency list**  Signed:    VIASTER COPY   CONTROLLED COPY   CONTROLLE	1.) Inspect valve seals for leakage				
3.) Verify valve is holding  Commments:  ** Record any deficiencies found on the Commissioning deficiency list**  Signed:    VIASTER COPY   CONTROLLED COPY		grity			
** Record any deficiencies found on the Commissioning deficiency list**  Signed:  OCT 2 7 2016  NOV (2 7016 Date:					
** Record any deficiencies found on the Commissioning deficiency list**  Signed:  OCT 2 7 2016  NOV (2 2016 Date:					
** Record any deficiencies found on the Commissioning deficiency list **  Signed: OCT 2 7 2016 NOV (2 2016 Date:	Commments:				
Signed: 0CT 2 7 2016 NOV 0 2 7016 Date:	Tanza Water Di				Bes Atlanta and Transaction
Signed:    IVIASTER COPY   CONTROLLED COPY					
	Signed:		0.2 7016 Date:		
		CONTR			



# Republic of the Philippines TANZA WATER DISTRICT Tanza, Cavite

STATEMENT OF WORK ACCOMPLISHMENT

Project Title: Location:


			-							
	DESCRIPTION	QUANTITY UNIT	UNIT		ACCOMPLISHMENT		ACCOMPLISHMENT OF UNIT COST	UNIT COST	5	WWFIGHT
1				TOTAL PROJECT	TOTAL COST PAID	OF THIS PAYMENT	THIS PAYMENT		PAYMENT	
	Tanza Water District					TOTAL AMOU	TOTAL AMOUNT ACCOMPLISHED TO			
	100	Tanza	Water	Tanza Water District		DATE LESS F	DATE LESS PREVIOUS COLLECTION			
	מונו ל. למום					AMOUNT	AMOUNT DUE THIS PAYMENT			
	we, the undersigned, jointly certify on our honor that the work itemized above have been accomplished according to the approved plans, specifications, and requirement that we, personally and physically verified the quantities and found the same to be correct; that this report reflects the physical and actual accomplishment of the project	onor that the	work and fou	itemized above have	e been accomplished a correct; that this repor	according to the apprort reflects the physical	tyon our honor that the work itemized above have been accomplished according to the approved plans, specifications, and requirement Upy or our honor the quantities and found the same to be correct; that this report reflects the physical and actual accomplishment of the project	, and require	ement that we, personiect	onally and

Prepared By:

Checked & Submitted By:

Approved By:

Project Name:		
Location:		
	SITE INSPECTION REPORT	
CONTRACTOR :		
DATE :		
TIME :		
FINDINGS	ACTION TO BE TAKEN	
REMARKS:		
-Tanza-Water District	Tanza-Water District	
PREPARED BY: 7 2 7 2016	APPROVED BY:	
IMASTER COPY	CONTROLLED COPY	



	Date:
CERTIFICATE OF PRO	DECT COMPLETION
EM DESCRIPTION:	
:	
Contractor	Division Head
Contractor  General Ma	

Tanza Water District

OCT 2 7 2016

ACCEPTED BY:

MASTER COPY

NOV 02 2016
CONTROLLED COPY

General Manager